KOVERA LABS

CERTIFICATE OF ANALYSIS

REPORT # KVR-2026-45684F

Client: Purelabs **Certified:** 08/04/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	BPC-157/TB-500	**Form**	Lyophilized Powder
Batch	BATCH-10832	**Labeled Qty**	10 mg
Cap Color	Grey	**Crimp Color**	Silver

TEST RESULTS

	REFERENCE STANDARD	RESULT
Blend Avg Purity	(>98%)	99.268% ✓
Blend Avg Net Content	(~10mg)	10.97 mg ✓
Blend Identification (LC-MS)	(BPC-157/TB-500)	BPC-157/TB-500 ✓
Endotoxin Safety Screen	(≤0.5 EU/mL)	Pass ✓
Microbial Sterility Screen	(No Growth)	No Growth ✓

BLEND COMPONENT ANALYSIS

Component	Labeled	Measured
BPC-157	5 mg	5.23 mg
TB-500	5 mg	5.74 mg

HEAVY METAL SCREENING

Analyte	Result	Status
Arsenic (As)	Negative	✓
Cadmium (Cd)	Negative	✓
Lead (Pb)	Negative	✓
Mercury (Hg)	Negative	✓

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm



Lemar Arghandiwal
Lab Director

koveralabs.com/verify

Report#: KVR-2026-45684F
Access Code: LU12RYL