KOVERA LABS

CERTIFICATE OF ANALYSIS

REPORT # KVR-2026-A0EDB3

Client: Purelabs **Certified:** 08/04/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	Klow	**Form**	Lyophilized Powder
Batch	BATCH-7162	**Labeled Qty**	80 mg
Cap Color	Blue	**Crimp Color**	Silver

TEST RESULTS

	REFERENCE STANDARD	RESULT
Blend Avg Purity	(>98%)	99.559% ✓
Blend Avg Net Content	(~80mg)	84.89 mg ✓
Blend Identification (LC-MS)	(Klow)	Klow ✓
Endotoxin Safety Screen	(≤0.5 EU/mL)	Pass ✓
Microbial Sterility Screen	(No Growth)	No Growth ✓

BLEND COMPONENT ANALYSIS

Component	Labeled	Measured
GHK-Cu	50 mg	50.77 mg
KPV	10 mg	11.51 mg
BPC-157	10 mg	10.74 mg
TB-500	10 mg	11.87 mg

HEAVY METAL SCREENING

Analyte	Result	Status
Arsenic (As)	Negative	✓
Cadmium (Cd)	Negative	✓
Lead (Pb)	Negative	✓
Mercury (Hg)	Negative	✓

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm



Lemar Arghandiwal
Lab Director

koveralabs.com/verify

Report#: KVR-2026-A0EDB3
Access Code: 46PB8P2