KOVERA LABS

CERTIFICATE OF ANALYSIS

REPORT # KVR-2026-11F837

Client: Purelabs **Certified:** 08/01/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	Retatrutide	**Form**	Lyophilized Powder
Batch	BATCH-10032	**Labeled Qty**	10 mg
Mol. Formula	C221H342N46O68	**CAS Number**	2381089-83-2
Cap Color	Green	**Crimp Color**	Silver

TEST RESULTS

	REFERENCE STANDARD	RESULT
Purity	(>98%)	99.316% ✓
Net Content	(~10mg)	10.13 mg ✓
Identity Confirmation (LC-MS)	(Retatrutide)	Retatrutide ✓
Endotoxin Safety Screen	(≤0.5 EU/mL)	PASS ✓
Microbial Sterility Screen	(No Growth)	No Growth ✓

HEAVY METAL SCREENING

Analyte	Result	Status
Arsenic (As)	Negative	✓
Cadmium (Cd)	Negative	✓
Lead (Pb)	Negative	✓
Mercury (Hg)	Negative	✓

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm



Lemar Arghandiwal
Lab Director

koveralabs.com/verify

Report#: KVR-2026-11F837
Access Code: W5IRMTG