KOVERA LABS

CERTIFICATE OF ANALYSIS

REPORT # KVR-2026-A894DF

Client: Purelabs

Certified: 08/05/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	Selank	**Form**	Lyophilized Powder
Batch	BATCH-1087	**Labeled Qty**	10 mg
Cap Color	Black	**Crimp Color**	Silver

TEST RESULTS

	REFERENCE STANDARD	RESULT
Purity	(>98%)	99.581% ✓
Net Content	(~10mg)	11.14 mg ✓
Identity Confirmation (LC-MS)	(Selank)	Selank ✓
Endotoxin Safety Screen	(≤0.5 EU/mL)	PASS ✓
Microbial Sterility Screen	(No Growth)	No Growth ✓

HEAVY METAL SCREENING

Analyte	Result	Status
Arsenic (As)	Negative	✓
Cadmium (Cd)	Negative	✓
Lead (Pb)	Negative	✓
Mercury (Hg)	Negative	✓

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm



Lemar Arghandiwal
Lab Director

koveralabs.com/verify

Report#: KVR-2026-A894DF
Access Code: UEYSDY1